

XRAM Acc No: C91-003836

XRXPX Acc No: N91-006860

Moisture trapping film for an electro-luminescent lamp - from a tacky adhesive layer having a water absorbing film on one or both sides

Patent Assignee: STANLEY ELECTRIC CO LTD (SNLE); SUMITOMO BAKELITE CO (SUMB)

Inventor: HIRANO H; KONDO F; MORI K; WATANABE J

Number of Countries: 005 Number of Patents: 005

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
EP 405361	A	19910102	EP 90111887	A	19900622	199102 B
JP 3029291	A	19910207	JP 89162763	A	19890627	199112
US 5107175	A	19920421	US 90541688	A	19900621	199219
EP 405361	B1	19951018	EP 90111887	A	19900622	199546
DE 69023051	E	19951123	DE 623051	A	19900622	199601
			EP 90111887	A	19900622	

Priority Applications (No Type Date): JP 89162763 A 19890627

Cited Patents: 3. Jnl. Ref; EP 350907; EP 374050; FR 1309665; JP 1110955; JP 63218351; JP 63224944; US 3110837

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

EP 405361 A

Designated States (Regional): DE FR GB

EP 405361 B1 E 5 H05B-033/04

Designated States (Regional): DE FR GB

DE 69023051 E H05B-033/04 Based on patent EP 405361

Abstract (Basic): EP 405361 A

A moisture trapping film, used for electroluminescent lamps of the organic dispersion type, comprises a colourless transparent adhesive layer (A) provided on one or both sides of a water-absorbing film (B). (A) pref. has a thickness of 1-100 micron, is tacky at room temp. and is prep'd. from material pref. selected from acrylic, polybutadiene, chloroprene, isoprene, silicone and polyurethane resins as well as natural rubber. (B) is pref. 20-500 micron thick and is prep'd. from polyamide resin, polyvinyl alcohol, polyvinyl acetate, polyvinyl acetate alcohol or cellulose and derivs..

ADVANTAGE - The film does not peel on stamping or when used on curved surfaces. Lamination at lower temps. between the moisture trapping film and a moistureproof film is possible. (5pp Dwg. No. 1/1)

Abstract (Equivalent): EP 405361 B

A moisture trapping film for EL lamps of the organic dispersion type wherein a colourless, transparent adhesive layer prepared from a material selected from the group consisting of acrylic resin, polybutadiene resin, chloroprene resin, isoprene resin, silicone resin, polyurethane resin, natural rubber and derivatives thereof having tackiness at room temperature is provided on one side or both sides of a colourless transparent water-absorbing film.

Dwg. 1/1


Abstract (Equivalent): US 5107175 A

A moisture trapping film for EL lamps of the organic dispersion type consists of a colourless, transparent adhesive layer having tackiness at room temp. provided on one side or both sides of a

colourless, transparent water-absorbing film.

Pref. the water-absorbing film is a polyamide resin, polyvinyl alcohol, etc. The adhesive is prep'd. from pref. acrylic resin, polybutadiene resin, chloroprene resin etc.

ADVANTAGE - The moisture trapping film generates a peeling caused by the impact in the stamping process. (5pp)



1 : MOISTUREPROOF FILM

2 : MOISTURE TRAPPING FILM

3 : TRANSPARENT CONDUCTIVE FILM

4 : LUMINESCENT LAYER

5 : ALUMINUM ELECTRODE

Title Terms: MOIST; TRAP; FILM; ELECTRO; LUMINESCENT; LAMP; TACKIFIER; ADHESIVE; LAYER; WATER; ABSORB; FILM; ONE; SIDE

Derwent Class: A85; G03; L03; U14; X26

International Patent Class (Additional): H05B-033/04

File Segment: CPI; EPI

Manual Codes (CPI/A-N): A09-A; A12-A; A12-E11; G03-B04; L03-C04

Manual Codes (EPI/S-X): U14-J; X26-X

Plasdoc Codes (KS): 0231 1990 2419 2437 2488 2513 3250 2589 2595 2654 3252
2670 2682 2683 2718 2726 2728 3278 2850 0013 1283 1294 1804 0486 0487
0009 1093 1100 0209 1107 1306 1987 0787 2007 1982 1974

Polymer Fragment Codes (PF):

001 014 028 04- 141 150 192 193 231 35& 351 431 435 443 446 47& 477 504
516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
688

002 014 028 034 04- 074 081 141 192 193 231 35& 351 431 435 443 446 47&
477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623
627 650 688

003 014 032 04- 117 122 141 231 35& 351 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650 688

004 014 032 04- 117 123 141 231 35& 351 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650 688

005 014 032 04- 062 063 117 124 141 231 35& 351 431 435 443 446 47& 477
504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627
650 688

006 014 04- 05- 141 229 231 35& 351 38- 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650

007 014 032 04- 141 231 257 35& 351 431 435 443 446 47& 477 504 516 518
52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650

008 014 032 04- 066 067 231 244 245 257 35& 351 431 435 443 446 47& 477
504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627
650 688

009 014 034 04- 066 067 074 081 231 244 245 35& 351 431 435 443 446 47&

477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623
627 650 688
010 014 032 04- 066 067 117 122 231 244 245 35& 351 431 435 443 446 47&
477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623
627 650 688
011 014 032 04- 062 063 066 067 117 124 231 244 245 35& 351 431 435 443
446 47& 477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600
609 623 627 650 688
012 014 032 04- 066 067 117 123 231 244 245 35& 351 431 435 443 446 47&
477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623
627 650 688
013 014 04- 05- 066 067 229 231 244 245 35& 351 38- 431 435 443 446 47&
477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623
627 650 688
014 014 04- 066 067 150 231 244 245 35& 351 431 435 443 446 47& 477 504
516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
688
015 014 032 04- 231 252 253 257 35& 351 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
016 014 034 04- 074 081 231 252 253 35& 351 431 435 443 446 47& 477 504
516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
688
017 014 032 04- 117 122 231 252 253 35& 351 431 435 443 446 47& 477 504
516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
688
018 014 032 04- 062 063 117 124 231 252 253 35& 351 431 435 443 446 47&
477 504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623
627 650 688
019 014 032 04- 117 123 231 252 253 35& 351 431 435 443 446 47& 477 504
516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
688
020 014 04- 05- 229 231 252 253 35& 351 38- 431 435 443 446 47& 477 504
516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
021 014 04- 150 231 252 253 35& 351 431 435 443 446 47& 477 504 516 518
52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
022 014 04- 231 252 257 35& 351 431 435 443 446 47& 477 504 516 518 52&
523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
023 014 032 04- 117 122 231 252 35& 351 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650 688
024 014 032 04- 062 063 117 124 231 252 35& 351 431 435 443 446 47& 477
504 516 518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627
650 688
025 014 032 04- 117 123 231 252 35& 351 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650 688
026 014 04- 05- 229 231 252 35& 351 38- 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
027 014 04- 150 231 252 35& 351 431 435 443 446 47& 477 504 516 518 52&
523 532 533 535 54& 57& 575 596 597 600 609 623 627 650
028 014 034 04- 074 081 231 252 35& 351 431 435 443 446 47& 477 504 516
518 52& 523 532 533 535 54& 57& 575 596 597 600 609 623 627 650 688